

Reference List for Original HRP Evidence Book 2008 Evidence Report on
Risk of Accelerated Osteoporosis
March 2008

- Arnaud SA, Sherrard DJ, Maloney N, Whalen RT, Fung P. 1992. Effects of 1-week head-down tilt bed rest on bone formation and the calcium endocrine system. Aviation, Space and Environmental Med 64:14-20.
- Black DM, Thompson DE, Bauer DC, Ensrud K, Musliner T, Hochberg MC, Nevitt MC, Suryawanshi S, Cummings SR; Fracture Intervention Trial. 2000. Fracture risk reduction with alendronate in women with osteoporosis: the Fracture Intervention Trial. FIT Research Group. J Clin Endocrinol Metab 85(11):4118-24.
- Bliziotes M, Sibonga JD, Turner RT, Orwoll E. 2006. Periosteal remodeling at the femoral neck in nonhuman primates. J Bone Miner Res. 21(7):1060-7.
- Bonnick SL, Shulman L. 2006. Monitoring Osteoporosis Therapy: Bone Mineral Density, Bone Turnover Markers, or Both? Am J Medicine 119:255-315.
- Boonen S, Bischoff-Ferrari HA, Cooper C, Lips P, Ljunggren O, Meunier PJ, Reginster JY. 2006. Addressing the musculoskeletal components of fracture risk with calcium and vitamin D: a review of the evidence. Calcif Tissue Int 78(5):257-270.
- Caillot-Augusseau A, Lafage-Proust MH, Soler C, Pernod J, Dubois F, Alexandre C. 1998. Bone formation and resorption biological markers in cosmonauts during and after a 180-day spaceflight (Euromir 95). Clin Chem. 44(3):578-85
- Cauley JA, Robbins J, Chen Z, Cummings SR, Jackson RD, LaCroix AZ, LeBoff M, Lewis CE, McGowan J, Neuner J, Pettinger M, Stefanick ML, Wactawski-Wende J, Watts NB; Women's Health Initiative Investigators. 2003. Effects of estrogen plus progestin on risk of fracture and bone mineral density: the Women's Health Initiative randomized trial. JAMA 290(13):1729-38.
- Chantraine A, Nusgens B, Lapierre CM. 1986. Bone remodeling during the development of osteoporosis in paraplegia. Calcif Tissue Int. 38(6) :323-327.
- Clarke BL, Ebeling PR, Jones JD, Wahner HW, O'fallon WM, Riggs BL, Fitzpatrick LA. 1996. Changes in quantitative bone Histomorphometry in aging healthy men. J Clin Endocrinology Metabolism 81(6):2264-2270.
- Crawford RP, Cann CE, Keaveny TM. 2003. Finite element models predict in vitro vertebral body compressive strength better than quantitative computer tomography. Bone 33(4):744-750.
- Dawson-Hughes B, Harris SS, Krall EA, Dallal GE. 1997. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. N Engl J Med. 337(10):670-6.

- Eser P, Frotzler A, Zehnder Y, Wick L, Knecht H, Denoth J, Schiessl H. 2004. Relationship between the duration of paralysis and bone structure: a pQCT study of spinal cord injured individuals. *Bone*. 34:869-880.
- Forwood, M.R., & Turner, C.H. 1995. Skeletal adaptations to mechanical usage. *Bone*, 17, 197s-205s
- Garnero P, Sornay-Rendu E, Buboeuf F, Delmas PD. 1999. Markers of bone turnover predict postmenopausal forearm bone loss over 4 years: The OFELY study. *J Bone Miner Res* 14:1614-1621.
- Heer M, Kamps N, Biener C, Korr C, Boerger A, Zittermann A, et al. 1999. Calcium metabolism in microgravity. *Eur J Med Res*, 4 (9):357-60.
- Holick MF. 2005. PTH (1-34): a novel anabolic drug for the treatment of osteoporosis. *South Med J*. 98(11):1114-7.
- Kanis JA, Oden A, Johnell O, Johansson H, De Laet C, Brown J, Burckhardt P, Cooper C, Christiansen C, Cummings S, Eisman JA, Fujiwara S, Gluer C, Goltzman D, Hans D, Krieg MA, La Croix A, McCloskey E, Mellstrom D, Melton LJ 3rd, Pols H, Reeve J, Sanders K, Schott AM, Silman A, Torgerson D, van Staa T, Watts NB, Yoshimura N. 2007. The use of clinical risk factors enhances the performance of BMD in the prediction of hip and osteoporotic fractures in men and women. *Osteoporos Int*. 18(8):1033-46.
- Keyak JH, Kaneko TS, Tehranyzadeh J, Skinner HB. 2005. Predicting proximal femoral strength using structural engineering models. *Clin Orthop Relat Res Aug* (437):219-228.
- Keyak JH, Koyama GK, LeBlanc A, Lu Y, Lang TF. Reduction in proximal femoral strength after long-duration spaceflight. Abstract presentation at 53rd Annual meeting of the Orthopaedic Research Society, Feb. 11-14, 2007. San Diego, Ca.
- Kleerekoper M, Villanueva AR, Stanciu J, Sudhaker Rao D, Parfitt AM. 1985. The role of three-dimensional trabecular microstructure in the pathogenesis of vertebral compression fractures. *Calcif Tissue Int* 37:594-597.
- Lai YM, Qin L, Hung, VW, Choy WY, Chan ST, Chan LW, Chan KM. 2006. Trabecular bone status in ultradistal tibia under habitual gait loading: a pQCT study in postmenopausal women. *J Clin Densitom*. 9(2):175-183.
- Lang T, LeBlanc A, Evans H, Lu Y, Genant H, Yu A. 2004. Cortical and trabecular bone mineral loss from the spine and hip in long-duration spaceflight. *J Bone Miner Res*. 19(6):1006-12.

- Lang TF, LeBlanc AD, Evans HJ, Lu Y. 2006. Adaptation of the proximal femur to skeletal reloading after long-duration spaceflight. *J Bone Miner Res.* 21(8):1224-30.
- Lang T. 2006. What do we know about fracture risk in long-duration spaceflight? *J Musculoskelet Neuronal Interact.* 6(4):319-21.
- Lazo MG, Shirazi P, Sam M, Giobbie-Hurder A, Blacconiere MJ, Mupidi M. 2001. Osteoporosis and risk of fracture in men with spinal cord injury. *Spinal Cord* 39:208-214.
- LeBlanc AD, Spector ER, Evans HJ, Sibonga JD. 2007. Skeletal responses to spaceflight and the bed rest analog: a review. *Musculoskeletal Neuronal Interact.* 7(1):33-47.
- LeBlanc, AD; Driscoll, TB; Shackelford, LC; Evans, HJ; Rianon, NJ; Smith, SM; Feeback, DL; Lai, D. 2002. Alendronate as an Effective Countermeasure to Disuse Induced Bone Loss. *J Musculoskel Neuron Interact.* 2(4): 335-43.
- LeBlanc A, Schneider V, Shackelford L, West S, Oganov V, Bakulin A, Voronin L. 2000. Bone mineral and lean tissue loss after long duration spaceflight. *J Musculoskeletal Neuronal Interact* 1(2):157-160.
- LeBlanc AD, Lin C, Shackelford L, Sinitsyn V, Evans H, Belichenko O, et al. 2000. Muscle volume, MRI relaxation times (T2) and body composition after spaceflight. *J Appl Physiol*, 89:2158-64.
- LeBlanc A, Schneider V, Spector E, Evans H, Rowe R, Lane H, Demers L, Lipton A. 1995. Calcium absorption, endogenous excretion, and endocrine changes during and after long-term bed rest. *Bone.* 16(4 Suppl):301S-304S.
- LeBlanc A, Schneider V, Evans H, Engelbretson D, Krebs J. 1990. Bone mineral loss and recovery after 17 weeks of bed rest. *J. Bone Min. Research* 5:843-50.
- Lips P, Courpron P, Meunier PJ. 1978. Mean wall thickness of trabecular bone packets in human iliac crest: changes with age. *Calcif Tissue Res* 26:13-17.
- Lueken SA, Arnaud SB, Taylor AK, Baylink DJ. 1993. Changes in markers of bone formation and resorption in a bed rest model of weightlessness. *J Bone Miner Res.* 8(12):1433-8.
- Mechanic GL, Young DR, Banes AJ, Yamauchi M. 1986. Nonmineralized and mineralized bone collagen in bone of immobilized monkeys *Calcif Tissue Int* 39(2):63.
- Melton LJ III, Khosla S, Atkinson EJ, O'Connor M, O'fallon WM, Riggs BL. 2000. Cross-sectional versus longitudinal evaluation of bone loss in men and women. *Osteoporosis Int* 11:592-599.

Melton LJ III, Khosla S, Atkinson EJ, O'fallon WM, Riggs BL. 1997. Relationship of bone turnover to bone density and fractures. *J Bone Miner Res* 12:1083-1091.

Modlesky CM, Majumdar S, Narasimhan A, Dudley GA. 2004. Trabecular bone microarchitecture is deteriorated in men with spinal cord injury. *J Bone Miner Res*. 19: 48-55.

Mosekilde L, Ebbesen EN, Tornvig L, Thomsen JS. 2000. Trabecular bone structure and strength – remodelling and repair. *J Musculoskeletal Neuronal Interact*. 1(1):25-30.

Oganov VS, Cann, Rakhmanov AS, Ternovoi SK. 1990. Study of the musculoskeletal system of the spine in humans after long-term spaceflights by the method of computerized tomography. *Kosmicheskaiia Biologiiia I Aviakosmicheskaiia Meditsina [Space Biology and Medicine]* 24(4): 20-21.

Parfitt AM, Mathews CHE, Vallaneuva AR, Kleerekoper M, Frame B, Rao DS. 1983. Relationships between surface, volume, and thickness of iliac trabecular bone in aging and in osteoporosis. *J Clin Invest*. 72:1396-1409.

Rambaut PC, Johnston RS. 1979. Prolonged weightlessness and calcium loss in man. *Acta Astronaut* 6(9):1113-1122.

Recker R, Lappe J, Davies KM, Heaney R. 2004. Bone remodeling increases substantially in the years after menopause and remains increased in older osteoporosis patients. *J Bone Miner Res*. 19(10):1628-33.

Recker RR, Kimmel DB, Parfitt AM, Davies KM, Keshawarz N, Hinders S. 1988. Static and tetracycline-based bone histomorphometric data from 34 normal postmenopausal females. *J Bone Miner Res*. 3(2):133-144.

Riggs BL, Melton LJ III, Robb RA, Camp JJ, Atkinson EJ, McDaniel L, Amin S, Rouleau PA, Khosla S. 2007. Population-based assessment of rates of bone loss at multiple skeletal sites: Evidence for substantial trabecular bone loss in young adult women and men. *J Bone Miner Res* 2007 Oct 15; [Epub ahead of print]

Riggs BL, Melton LJ 3rd, Robb RA, Camp JJ, Atkinson EJ, Oberg AL, Rouleau PA, McCollough CH, Khosla S, Bouxsein ML. 2006. Population-based analysis of the relationship of whole bone strength indices and fall-related loads to age-and sex-specific patterns of hip and wrist fractures. *J Bone Miner Res*. 21(2):315-23.

Riggs BL, Parfitt AM. 2005. Drugs used to treat osteoporosis: the critical need for a uniform nomenclature based on their action on bone remodeling. *J Bone Miner Res* 20:177–184.

- Riggs BL, Melton LJ III, Robb RA, Camp JJ, Atkinson EJ, Peterson JM, Rouleau PA, McCollough CH, Bouxsein ML, Khosla S. 2004. Population-based study of age and sex differences in bone volumetric density, size, geometry, and structure at different skeletal sites. *J Bone Miner Res* 19(12):1945-1954.
- Riggs BL, Khosla S, Melton LJ III. 2002. Sex steroids and the construction and conservation of the adult skeleton. *Endocr Rev*. 23(3):279-302
- Riggs BL, Khosla S, Melton LJ III. 1998. A unitary model for involutional osteoporosis: Estrogen deficiency causes both type I and type II osteoporosis in postmenopausal women and contributes to bone loss in aging men. *J Bone Miner Res* 13:763-773.
- Riggs BL, Melton LJ III. 1986. Involutional Osteoporosis. *The New Engl J Med* 314(26):1676-1686.
- Seeman E. 2002 Pathogenesis of bone fragility in women and men. *Lancet*. 359(9320):1841-50.
- Shackelford LC, LeBlanc AD, Driscoll TB, Evans HJ, Rianon NJ, Smith SM, Spector E, Feeback DL, Lai D. 2004. Resistance exercise as a countermeasure to disuse-induced bone loss. *J Appl Physiol*. Jul;97(1):119-29.
- Sibonga JD, Evans HJ, Sung HG, Spector ER, Lang TF, Oganov VS, Bakulin AV, Shackelford LC, LeBlanc AD. 2007. Recovery of Spaceflight-induced Bone Loss: Bone Mineral Density after Long-duration Missions as Fitted with an Exponential Function. *Bone* 41(6):973-978.
- Sibonga, JD, Cha SS, Jewison DE, Hodgson SF, Turner RT. 2007. Sex- and age-related differences in iliac crest histomorphometry of 89 healthy individuals. Reviewed manuscript under revision.
- Silva MJ, Gibson LJ. 1997. Modeling the mechanical behavior of vertebral trabecular bone: effects of age-related changes in microstructure. *Bone*. 21(2):191-9
- Slade JM, Bickel CS, Modlesky CM, MAjumdar S, Dudley GA. 2005. Trabecular bone is more deteriorated in spinal cord injured versus estrogen-free postmenopausal women. *Osteoporosis Int*. 16: 263-67.
- Smith SM, Wastney ME, O'Brien KO, Morukov BV, Larina IM, Abrams SA, Davis-Street JE, Oganov V, Shackelford L. 2005. Bone markers, calcium metabolism, and calcium kinetics during extended-duration spaceflight on the Mir space station. *J Bone Miner Res*. 20(2):208-218
- Smith SM, Davis-Street JE, Fesperman JV, Calkins DS, Bawa M, Macias BR, Meyer RS, Hargens AR. 2003. Evaluation of treadmill exercise in a lower body negative pressure

chamber as a countermeasure for weightlessness-induced bone loss: a bed rest study with identical twins. *J Bone Miner Res* 19(12):2223-2230.

Smith SM, Wastney ME, Morukov BV, Larina IM, Nyquist KEM, Abrams SA, Taran EN, Shih CY, Nillen JL, Davis-Street JE, Rice BL, Lane HW. 1999. Calcium metabolism before, during and after a 3-mo spaceflight: kinetic and biochemical changes. *Am J Physiol*. 277(1 pt 2):R1-10.

Smith SM, Nillen JL, LeBlanc A, Lipton A, Demers LM, Lane HW, Leach CS. 1998. Collagen cross-link excretion during spaceflight and bed rest. *J Clin Endocrinol Metab* 83(10):3584-3591.

Smith MC, Jr. Rambaut PC, Vogel JM, Whittle MW. Bone mineral measurement-Experiment 078. In: Johnston RW, Dietlein LF, eds. Biomedical Results from Skylab (NASA SP-377). Washington, DC: U.S. Government Printing Office; 1977:183-90.
<http://lsda.jsc.nasa.gov/books/skylab/Ch20.htm>

Sornay-Rendu E, Munoz F, Garnero P, Duboeuf F, Delmas PD. 2005. Identification of osteopenic women at high risk of fracture: the OFELY study. *J Bone Miner Res*. 20(10):1813-9. Epub 2005 Jun 20

Stewart AF, Adler M, Byers CM, Segre GV, Broadus AE. 1982. Calcium homeostasis in immobilization: An example of resorptive hypercalciuria. *N Engl J Med* 306:1136-1140.

Turner RT. 2000. Invited review: what do we know about the effects of spaceflight on bone? *J Appl Physiol*. 89(2):840-7.

Tromp AM, Bravenboer N, Tanck E, Oostlander A, Holzmann PJJ, Kostense PJ, Roose JC, Burger EH, Huiskes R, Lips P. 2006. Additional weightbearing during exercise and estrogen in the rat: the effect on bone mass, turnover and structure. *Calcif Tissue Int*. 79(6):404-415.

Van der Linden JC, Homminga J, Verhaar JAN, Weinans H. 2001 Mechanical consequences of bone loss in cancellous bone. *J Bone Miner Res*. 16(3):457-465.

Vestergaard P, Korsh K, Rejnmark L, Mosekilde L. 1998. Fracture rates and risk factors for fracture in patients with spinal cord injury. *Spinal Cord* 36:790-796.

Vico L, Chappard D, Alexandre C, Palle S, Minaire P, Riffat G, et al. 1987. Effects of a 120 day period of bed-rest on bone mass and bone cell activities in man: attempts at countermeasure. *Bone Miner*. 2(5):383-94.

Vico L, Collet P, Guignandon A, Lafage-Proust MH, Thomas T, Rehaillia M, Alexandre C. 2000. Effects of long-term microgravity exposure on cancellous and cortical weight-bearing bones of cosmonauts. *The Lancet*. May 6;355(9215):1607-11.

- Vogel JM, Whittle MW. 1976. Bone mineral changes: the second manned Skylab mission. *Aviat Space Environ Med*. 47(4):396-400.
- Watts NB. 1999. Clinical utility of biochemical markers of bone remodeling. *Clinical Chemistry*; 45:8:1359-68.
- Warming L, Hassager C. Christiansen C. 2002. Changes in bone mineral density with age in men and women: a longitudinal study. *Osteoporos Int* 13:105-112.
- Whedon G, et al. Mineral and nitrogen metabolic studies-Experiment M071 In: Biomedical results from Skylab (NASA SP-377), Johnston RS and Dietlein LF, eds. Washington, DC, U.S. Government Printing Office, 1977.
<http://lsda.jsc.nasa.gov/books/skylab/Ch18.htm>
- Whedon GD, Lutwak L, Rambaut P, Whittle M, Leach C, Reid J, Smith M. 1976. Effect of weightlessness on mineral metabolism; metabolic studies on Skylab orbital spaceflights *Calcif Tissue Res*. 21 Suppl:423-30.
- Whedon GD, Lutwak L, Rambaut PC, Whittle MW, Reid J, Smith MC, Leach C, Stadler CR, Sanford DD. 1976. Mineral and nitrogen balance study observations: The second manned Skylab mission. *Aviat Space Environ Med* 47:391-396.
- Young DR, Niklowitz WJ, Brown RJ, Jee WS. 1986. Immobilization-associated osteoporosis in primates. *Bone*. 7(2):109.
- Young DR, Niklowitz WJ, Steele CR. 1983. Tibial changes in experimental disuse osteoporosis in the monkey. *Calcif Tissue Int* 35(3):304-308.
- Zérath E, Novikov V, Leblanc A, Bakulin A, Oganov V, Grynpas M. 1996. Effects of spaceflight on bone mineralization in the rhesus monkey. *J Appl Physiol* 81(1):194-200.
- Zérath E, Grynpas M, Holy X, Viso M, Patterson-Buckendahl P, Marie PJ. 2002. Spaceflight affects bone formation in rhesus monkeys: a histological and cell culture study. *J Appl Physiol*. 93(3):1047-1056.
- Zerwekh JE, Rumr LA, Gottschalk F, Pak CY. 1998. The effects of twelve weeks of bed rest on bone histology, biochemical markers of bone turnover, and calcium homeostasis in eleven normal subjects. *J Bone Miner Res* 13(10):1594-1601.